Datenblatt/datasheet






Artikelnummer/Itemnumber: 3B150

Tarifnummer Export: 73269098 | Frachtkategorie: B

Mobilzaunständer



Mobile fence stand



Artikelbeschreibung:

Mobilzaunständer mit Hülsen zum Einstecken der Bauzaunstandrohre und Bügel, zum Befestigen von 2 Bauzäunen miteinander Löcher zum Einschlagen von Erdnägeln in den Bodenplatten

Verwendungszweck:

Für den Einsatz bei Absperrarbeiten.

Technische Daten:

Gewicht: 4,50 kg/St Material: S235 JR

Abmessungen:T: 120 mm, H: 850 mm

Standbreite: 800 mm

Oberfläche:

Feuerverzinkung nach DIN ISO 1461

item description:

Mobile fence stand

d steel construction with sleeves for inserting the site fence tubes

and brackets for fastening 2 site fences with each other, 2 base plates have

holes for ground pegs to anchor the post on the ground

designated purpose:

For the application in setting up temporary barriers.

technical specifications:

weight: 4,50 kg/pc

material: S235 JR

dimensions: depth:120 mm, height: 850 mm

supported width: 800 mm

surface:

hot dipped galvanized acc. to DIN ISO 1461

^{*}Alle Angaben sind Richtwerte (teilweise mit branchenüblichen Rundungen zum besseren Verständnis) und dienen leidglich zum Produktverständnis, nicht aber als Basis zum Bau von Zubehörteilen, Lagergestellen, Adaptierungen, Kombinationsprodukten oä. Alle Angaben sind ohne Gewähr, für evtl. Fehler und resultierende Folgen übernehmen wir keine Verantwortung.
*All data are approximate values (partly with industry-standard rounding for better understanding) and serve only for product understanding, but not as a basis for the design of accessories, storage solutions, adaptations, combination products or the like. All information is without guarantee, for possible errors and resulting consequences we assume no responsibility.