


---

6 m Manual Crank Up Telescopic Mast-40kg  
payloads Item #: NR-M2300-9000



---

**6 m Manual Crank Up Telescopic Mast-2.3m retracted-40kg payloads**

Part #: NR-M2300-9000

6 m manual operation telescopic mast

40kg top loads,

aluminum materials

ground mounting or vehicle side mounting

2x 3 guying rope kits supplied

**6 m Aluminum Manual Crank Up Telescopic Mast-40kg Payloads**

1>	Item #:	NR-M2300-9000
2>	Extended Height:	6 m
3>	Retracted Height:	1,8 m
4>	Maximum Payloads:	40kg
5>	Type:	Manual Crank Up, Anti-rotation
6>	Inside Electric Wires	Non
7>	Number of Sections:	
8>	Section' s diameter:	76mm~132mm
9>	Materials:	Aluminum Alloy 6063T6
10>	Color:	Anodizing "Olive Green"
11>	Working Temperature:	-25~55 Degrees Celsius
12>	Mast Weight:	45kg
13>	Wind Loads:	60km/h with guying ropes, 3 ropes, 2 layers, 3 mounting pickets
14>	Default accessories:	1x top flange
		1x bottom flange
		Guying rope kits
15>	Optional Accessories:	Ground Mounting Tripods
		moving wheels kit for ground mounting tripod
		Vehicle Side Mounting Brackets 1 pieces per set
		Bottom support bracket

Catalogue update on 20<sup>th</sup> April 2022

